

How Realistic is the Mixed-Criticality Real-Time System Model?

Alexandre Esper, Geoffrey Nelissen, Vincent Nélis, Eduardo Tovar









Current status

MC model gradually gaining in sophistication



Current status

MC model gradually gaining in sophistication





Issue

Safety-related standards not freely accessible

many academic works are building on top of previous

models and claims



Current status

MC model gradually gaining in sophistication





Issue

Safety-related standards not freely accessible

→ many academic works are building on top of previous models and claims





Risk

Facilitates the propagation of misconceptions and drift from actual standards requirements



Current status

MC model gradually gaining in sophistication





Issue

Safety-related standards not freely accessible

→ many academic works are building on top of previous models and claims





Risk

Facilitates the propagation of misconceptions and drift from actual standards requirements







Contribution

Elaborate on misinterpretations and discuss motivating arguments for future work


Safety-Critical Systems




Safety-Critical Systems




Safety-Critical Systems Development Process



Safety-Critical Systems




Safety-Critical Systems
Development Process






Safety-Critical Systems




Safety-Critical Systems Development Process






The Notion of Mixed-Criticality Systems

System Safety Assessment Process




The Notion of Mixed-Criticality Systems

System Safety Assessment Process



The Notion of Mixed-Criticality Systems

System Safety Assessment Process



Safety-Related Industrial Standards

Industry

IEC 61508

Functional safety of E/E/PE safety-related systems

IEC 61511

Functional safety – Safety instrumented systems for the process industry sector

IEC 62061

Safety of machinery – Functional safety of electrical, electronic and programmable electronic control systems

Aeronautics

ARP 4761

Guidelines and Methods for Conducting the Safety Assessment Process on Civil Airborne Systems and Equipment

DO-178B/C

Software Considerations in Airborne Systems and Equipment Certification

ARP 4754

Certification
Considerations for
Highly-Integrated
or Complex Aircraft
Systems

D0-254

Design Assurance Guidance for Airborne Electronic Hardware

Automotive

ISO 26262

Road vehicles – Functional safety Development Assurance – Safety Standards

Railway

EN 50126

Railway applications – Specification and demonstration of reliability, availability, maintainability and safety

EN 50128

Railway applications –
Communication,
signalling and
processing systems –
Software for railway
control and protection
systems

EN 50129

Railway applications – Communication, signalling and processing systems – <u>Safety</u> related electronic systems for signalling

Space

ECSS series


Processes for project management, engineering and product assurance in space projects and applications

NASA-STD-8719.13B


Software Safety Standard – NASA Technical Standard



Requirements of Safety-Related Industrial Standards



Requirements of Safety-Related Industrial Standards



MCS and the Challenge of Compliance to Safety-related Standards

Safety-related Industrial Standards


...but specify stringent safety requirements

Additional challenges






No explicit **MCS** requirements




→ isolation and independence between applications.



Multicore + **Shared Resources**

MCS and the Challenge of Compliance to Safety-related Standards



The Theoretical MC Model and its Common Misconceptions

Most MCS works are Based on the Vestal Model:

Several modes of execution (1, 2, ..., L)

tasks → period, deadline, WCET and an assurance level

System running in mode k

Budget of a task is overshot

System switches to mode k + 1

All the tasks of criticality not greater than k are suspended (potentially reactivated)



The Use of the Word "Function"

Safety-related Industrial Standards



- Used at system level
- System functionality (HW + SW)

Academic Publications

"Function"





- Used like a pure SW function
- E.g.: C function or real-time task

Mismatch of Interpretation of the Concept of "System Criticality"

Safety-related Industrial Standards



- Level of assurance (e.g. DAL, SIL,...)
- Safety functions

"System Criticality"

Academic Publications



- Based on Vestal
- Modes of execution
- E.g. high and low criticality

The Misalignment of Terminology

Safety-related Industrial Standards







Academic Publications



Although **not fundamentally wrong**, it creates confusion in the context of industrial MCS

→ leads the two communities to misunderstand each others' work

Function 1

Severity:

Car unusable

Probability:

Probable

Controllability:

Driver can keep the car on the road



Function 2

Severity:

Car unusable

Probability:

Probable

Controllability:

Uncontrollable



Both are important!

Function 1

Function 2

Severity:

Car unusable

Propability:

Probable

Controllability:

Driver can keep car on the roac

Severity:

Car unusable

Propability:

Probable

ollability:

ncontrollable





Function 1

Severity:

Car unusable

Probability:

Probable

Controllability:

Driver can keep the car on the road

Function 2

Severity:

Car unusable

Probability:

Probable

Controllability:

Uncontrollable

But ...

ASIL =

Severity +

Probability +

Controllability

Severity class	Probability class	Controllability class		
		C1	C2	C3
S1	E1	QM	QM	QM
	E2	QM	QM	QM
	E3	QM	QM	A
	E4	QM	A	В
S2	E1	QM	QM	QM
	E2	QM	QM	A
	E3	QM	A	В
	E4	A	В	С
\$3	E1	QM	QM	A
	E2	QM	A	В
	E3	A	В	С
	E4	В	С	D

Function 1

ASIL C

Severity:

Car unusable

Probability:

Probable

Controllability:

Driver can keep the car on the road

Function 2

Severity:

Car unusable

Probability:

Probable

Controllability:

Uncontrollable

But ...

ASIL =

Severity +

Probability +

Controllability

Severity class	Probability class	Controllability class		
		C1	C2	C3
51	E1	QM	QM	QM
	E2	QM	QM	QM
	E3	QM	QM	A
	E4	QM	A	В
\$2	E1	QM	QM	QM
	P\$	QM	QM	A
	E3	QM	A	В
	E4	Α	В	С
S 3	E1	CM	QM	A
	E2	QM	Α	В
	E3	A	В	С
	E4	В	(c	D

Function 1

ASIL C

Severity:

Car unusable

Probability:

Probable

Controllability:

Driver can keep the car on the road

Function 2

ASIL D

Severity:

Car unusable

Probability:

Probable

Controllability:

Uncontrollable

But ...


ASIL =

Severity +


Probability +

Controllability


Severity class	Probability class	Controllabil y class		
		C1	C2	C3
\$1	E1	QM	QM	QM
	E2	QM	QM	QM
	E3	QM	QM	A
	E4	QM	A	В
S2	E1	QM	QM	QM
	E2	QM	QM	A
	E3	QM	A	В
	E4	A	В	С
S3	E1	ам	QM	А
	E2	QM	A	В
	E3	A	В	C
	E4	В	(c	D




Example from IEC61508




Example from IEC61508







Example from IEC61508



Example from IEC61508






Vestal's Model and Isolation

Vestal's model:


High and low criticality tasks run on the same processor and scheduler



Vestal's Model and Isolation

Vestal's model:


High and low criticality tasks run on the same processor and scheduler



Vestal's Model and Isolation


Vestal's model:

High and low criticality tasks run on the same processor and scheduler







Vestal's model:




Vestal's model:



Vestal's model:





Vestal's model:



- The cost of the system would increase exponentially...
 - We miss the initial goal of integrating a mixed-criticality system in the same platform to decrease costs

WCET Estimation

Vestal's model & Derivatives:

<u>Assumption</u>: Higher degree of assurance of a task → more pessimistic WCET estimation



 WCET upperbound → necessary but not sufficient condition to ensure safety

WCET Estimation

Vestal's model & Derivatives:

<u>Assumption</u>: Higher degree of assurance of a task → more pessimistic WCET estimation

WCET upperbound necessary but not sufficient condition to ensure safety

Safety-Standards

- Requires mechanisms to ensure that safety is not compromised in case of timing violation
 - E.g. time partitioning

Probabilistic WCET

- Provides a probabilistic upper-bound on the execution time
- Aims at building a <u>reliability model of the software</u>

Probabilistic WCET

- Provides a probabilistic upper-bound on the execution time
- Aims at building a reliability model of the software

Safety-

Software reliability models:

- Still under debate
- Confidence cannot be placed in such models

Safety-Standards



Probabilistic WCET

- Provides a probabilistic upper-bound on the execution time
- Aims at building a <u>reliability model of the software</u>

Safety-Standards



Software reliability models:

- Still under debate
- Confidence cannot be placed in such models



- Important research direction
- But... cannot assume that they will ever be used in industrial systems to prove software safety

Probabilistic WCET

- Provides a probabilistic upper-bound on the execution time
- Aims at building a reliability model of the software

Safety-Standards



Software reliability models:

- Still under debate
- Confidence cannot be placed in such models



- Important research direction
- But... cannot assume that they will ever be used in industrial systems to prove software safety



Need to work on the safety argumentation

Probabilistic WCET

- Provides a probabilistic upper-bound on the execution time
- Aimed at building a reliability model of the software

Probabilistic WCET

- Provides a probabilistic upper-bound on the execution time
- Aimed at building a reliability model of the software

Certification Authority



<u>Typical question</u>: would you fly an airplane designed with probabilistic software reliability models?

Probabilistic WCET

- Provides a probabilistic upper-bound on the execution time
- Aimed at building a reliability model of the software

Certification Authority



<u>Typical question</u>: would you fly an airplane designed with probabilistic software reliability models?



Conclusion

• Clear gap between some of the guidelines provided in safety-related standards and their interpretation by the academic community

 Misalignment of terminology leads to misunderstanding of each other's work

Confusion between the notions of criticality and importance

Ensuring safety in terms of timing isolation goes beyond accurate WCET estimates

 Probabilistic WCET estimates: in case that direction is followed → need to work on the argumentation

Question & Answers

